# and PRECISION

Advertisement products

from 2014

BMI HIGHPRECISION

ő

#### Advertising products? We keep setting the pace!

#### Dear customer,

Your advertising must reach the target group – therefore, place your message exactly where it works best. To achieve that, our range of valuable advertising products provides plenty of space for many different opportunities. Being highly attractive advertising mediums, our multilateral measuring tools enable truly individual communication solutions.

Combine quality and suitability – use our premium products!

Hem Keen

Hans Keller managing director and sole shareholder

#### BMI<sup>°</sup> offers you:

- A wide range of products
- Reliable tools of tested and proven quality
- Development and manufacturing in Germany
- Tradition and innovation




#### **Choose your individual colour!**


From an order of 300 units, all products marked with this sign are available with casing colour at your choice.



21 =



Folding rules





block folding rule
internal polyamide joints

riveted

large print areas on the wide sides
ruler function

#### Highlights:

angle scale at the first and last joint
excellent value for money

#### Lenght: 2 m Material: beech wood Accuracy: class III according to EC-standard

Order-no.:

white → 8062 yellow → 8062Yellow

@ 3 200 A CES /

#### other on

17 18 19 201 21

18 19 2002

16

5

A

#### 9062

block folding rule

internal polyamide joints

MADE IN EU

riveted

large print areas on the wide sides
ruler function

#### Turci Turci

**Highlights:** 

 almost closed advertising space for elegant prints or photo prints
 Lenght: 2 m
 Material: beech wood
 Accuracy: class III according to EC-standard

Order-no.: white → 9062

100

EU

N

MADE

#### **Block folding rules**

block folding rule

- internal hardened steel springs
   riveted
- ruler function
- large print areas on the wide sides

#### Highlights:

90°-latching of the joints
angle scale at the first and last joint

#### Length: 2 m

Material: beech wood Accuracy: class III according to EC-standard

200 3man CEStration

4 BM

milit

#### Order-no.:

20

clours

request

white → 9072

The internal joints allow a continuous straight edge (9082, 9083, 8062, 9072 and 9062)

#### 9082

MADE IN EU

- block folding rule
- internal hardened steel springs
- riveted
- large print surface on the broad sides, ruler function

#### **Highlights:**

- fullest construction site suitability by dip coating
- perfect running characteristics during folding and unfolding

Material: beech wood Accuracy: class III according to EC-standard

**Order-no.:** 2 m, white → 9082

CHINE STREET

MADE IN GERMANY



#### 9042/9002/9052

brass-plated spring

riveted

close-fitting rods with new installation, of the joints

IN EU

MADE

#### Highlights:

break-proof
excellent value for money

#### Length: 2 m

Material: beech wood Accuracy: class III according to EC-standard

#### Order-no.:

7	9802	
	0000	1
+	9052	
<b>→</b>	9002	
<b>→</b>	9042	
	<b>→</b>	<ul> <li>→ 9002</li> <li>→ 9052</li> </ul>

#### 9142/9142WG

brass-plated spring
 concealed rivets

#### **Highlights:**

elegant printing surface
break-proof
Lenght:
9142 → 2 m
9142 WG → 2 m (white and yellow colour change every 10 cm)

Material: Beech wood Accuracy: Class III according to EC-standard

Order-no.: White → 9142 White/Yellow → 9142WG other colours on request

#### Wooden folding rules

EU

MADE IN

MADE IN GERMANY

#### 9083

 block folding rule internal hardened steel springs, riveted · large print area on the wide sides ruler function

#### **Highlights:**

• fullest construction site suitability by dip coating. • perfect running characteristics during folding and unfolding Lenght: 3 m Material: beech wood Accuracy: class III according to EC-standard

Order-no.: white -> 9083

#### 9143WG:

**Closed construction for** attractive imprints. White/ yellow graduation with red decimal digits. Concealed rivets provide excellent readability of the scale.

0

8

S

3

N.

mulunhun

# 

- block scale
- fiberglass reinforced
- ruler function
- Exact snap-in in, also in 90° position
- Order-no.: White: → 1043

#### **Highlights:**

- close-fitting rod
- deep embossed graduation
- Length: 3 m Material: Glass fiber reinforced ABS

#### 9143WG

How 9142WG only 3m long.

Order-no.: White/Yellow: → 9143WG

9

EU

NI

MADE

#### 1051/1051P

#### block folding rule

(ന

- ruler function
- 90 ° detent of the joints

#### **Highlights:**

		APRIL DESCRIPTION OF THE R. L. P.	THE REPORT OF A DAMAGE AND A DAMAGE AND A	ALL THE REAL PROPERTY AND A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTION OF A DESCRIPTIONO	The second with the last
close-fitting rod	EU	1 月 西方 多水		Station Ca	the second
deep embossed graduation	Z	1. 1. 1. 1. 1.	CALLER - CALL	37. 8 × 50	Mar Salar
Length: 1 m	101	The state of the	1500 - 1 - 5 - 5		
Order-no.:/ Material:	MADE SAPP	STATISTICS OF STATISTICS	化合成性 一位	· Cash at calls	muluil
White → 1051 / glass fiber reinforce	ed ABS	and the provide the		No mun	
White -> 1051P / ABS	051	· · · · · · · · · · · · · · · · · · ·	Carry Colores	autout	Manie 9
AND A DATE OF A DATE OF AN	A CAR PROVER	AND THE	mul	unt 8 de	mpunn
	The second states		Summing 6	D Lanhunnin	and the second
TO MALE AND MALEY	Salar Preventer	Tumo and a second	1011 - 5	adaman	
	The set of the	munhunt	4 unturture		ALC: NOT
The FORM STREET STREET STREET		million 3 million	adamina	Contraction of the second	munt
	multun	Im 2		IIII	milio 0 1
A CONTRACTOR	annun 1	uduuluu	CALL OF BRIDE	annahund.	10.11
	man o Chudun	and the second second	Without and	ulun S.	aluntino
P Red/blau/grün	te dunil		autorton	Junhum	M. Contraction of the second s
ling rule	multimenter	State of the state of the state	Munth & M	Junhuman	in the
ction	Charles and the second	annhunte	5 . Juntu		
					the second se

1 1 21m3

Mahadaalaalaala

120

LZ OS

and a second second

ι minutum

mm

unhun

min

unungungungun

#### 1051P Red/blau/grün

#### block folding rule

- ruler function
- 90 ° detent of the joints

#### **Highlights:**

- close-fitting rod
- deep embossed graduation • transparent plastic Length: 1 m

#### Material: PVC Ander no .

viuei-i	10		
Red	+	1051P Red	
Blue	<b>&gt;</b>	1051P Blue	
Green	+	1051P Green	

0 2 unhunhun

- block folding rule
- glass fiber reinforced polyamide
- ruler function
- 90 ° detent of permanent joints
- close-fitting rod

#### Highlights:

- longevity
- deep embossed permanent graduation

#### 1052S/1052P

- block folding rule
- ruler function
- 90 ° detent of permanent joints
- close-fitting rod

#### **Highlights:**

 longevity deep embossed permanent graduation

#### Material: ABS

Order-no.:

- 2 m, White 2 m, Black
- → 1052P ABS → 1052S glass fiber reinforced ABS

D ALL JOANS CERTIS

EU

NI

0525 MADE

0

0

and the state of t

8

mapar

8

5

MADE IN SWITCHERLAND



0

8

5

9

S

4

3

2

0

0

8

5

0

5 NON

4

BMI

20°C3

03 2

2 m c3 m 4 005

30

N

0

8

5

-0

ŝ

4

3

2

0

0

8

P

6

5 100

BMI 4

3

8

S

E L

ന്



#### 962

Flexible steel measuring rules made of stainless hard rolled spring band steel. Ultra modern manufacturing processes ensure sharp graduation contours. The graduation is largely anti abrasive and withstands chemicals,

grease and oil. Its matt finish allows good reading. Rounded edges.

Class III according to EC standard for metric graduation.

Graduations available (upper/lower edge): 0.5 mm/1 mm, 1 mm/1 mm or 1 inch/0.5 mm

Individual graduations and prices on request.

Material: hard rolled spring band steel Available colour: metallic blank

1011

 Order-no.:

 15 cm →
 962 115RD

 20 cm →
 962 120RD

 30 cm →
 962 130RD

12 13 14 15 16 17 18 19 20 21

3 ... 4 = 5 - 6-

MADE IN GERMANY

9

5On

6

71 EL ZL LL OL 6 3 4

#### 620MF

Cold-hammered special aluminium alloy. Digits and graduations deep etched and laid out black. The rule has precisely-latching, nickel-plated steel springs. Rounded edges. **Heat resistant!** 

Length: 2 m Material: aluminium alloy Accuracy: class III according to EC standard

42

19 2 0 21

ArtNr.:		
silver	+	620MF
black	<b>&gt;</b>	620MFS

Other colours on request

16 17

#### 966

Annual annual

Rigid steel measuring rules made of stainless, hard-rolled spring band steel. Ultra-modern manufacturing processes ensure sharp graduation contours. The graduation is largely anti-abrasive, and withstands chemicals, grease and oil. Its matt finish allows good reading. Rounded edges. EC accuracy class for metric graduation.

38 39 40 41 42 43 44 45 46 47 48 49 50

EC accuracy class II for metric pitch. Partition image: (top / bottom) mm / mm Other pitches on request.

Material: Spring steel, cross-section 30 x 1.0 mm Available color: metallic blank

Order-no: 30 cm → 966 0300 40 50 cm → 966 0500 40 100cm -> 966 1000 40

Other lengths on request.

GERMANY

ZI

MADE





#### QuickyPro

The BMI-Quicky, sold by hundreds of thousands, has been further developed and is now called QUICKY PRO.

product design award

- The main changes:
- has a tape stop!
- is available in
  2 m and 3 m

This measuring tool fascinates and his benefits are unbeatable.

#### Fascination:


Due to a special treatment of the refined steel the tape unrolls on its own! Benefits:

- stainless refined steel tape, white-enamelled
- totally waterproof
- unbreakable, durable
- accurate according to EC class II (+/- 0,9mm/2m a wooden ruler is 2,2mm/2m)
- compact, light and handy
- perfect for use as a ruler
- tape lies flatly on a table, allowing precise markings and easy transfer of measurements

waterproof,

rustproof

- world first!
- Made in Germany!



unbreakable

a ruler

perfect to use as

**Belt clip** 

NEW!

-

at 100 pcs. or more: Standard colours, Black, White or Red!


100

a



DAUERH AUFDRU

ANGLEB



#### Measuring tapes

### **EYECATCHER** ...made to measure

Bry



FLEXTOP protector made of transparent, high-flexible plastic; reliably prevents breakage at the tape commencements.

#### RADIUS

Case made of high-impact plastics. Good handling owing **to large crank arm with park position. FLEXTOP protector** is optional. **Length:** 10 + 20 m with mm-graduations

Width: 13 mm Case dimensions: Ø approx. 115 x 35 mm

 Order-no.:

 10 m →
 501214010 AF

 20 m →
 501214020 AF



MADE IN GERMANY

#### Frame and capsule measuring tapes



#### Frame measuring tape BASIC I + II

The plastic frame BASIC combines patented properties to the best quality: slip ring bearings of the crank mechanism, a crank handle that can be switched for left/right handers, parking positions for crank handle and commencement ring, and an ergonomic handle. The side components consist of an extremely impact-resistant plastic and are welded by means of ultrasound. In addition, the BASIC can be supplied with tapes featuring the patented FLEXTOP tape stop that reliably prevents damage to the end of the tape!

Length: 10 m + 20 m (other lenghts on request) Width: 13 mm

Order-no.: 10m → 501 314 010 AF 20m → 501 314 020 AF



ADE IN GERMANY

MADE IN GERMANY

#### Frame measuring tape BASIC III + IV

Screwed construction, made of high-impact resistant polypropylene. Slip ring bearings of the crank mechanism, a crank handle that can be switched for left/right handers, parking positions for crank handle and commencement ring, and an ergonomic handle.

apanjanja

Length: 30 m + 50 m (other lenghts on request) Width: 13 mm




#### Information on the BMI pocket tape measures

Pocket tapes manufactured by BMI are versatile with regard to their use as their users' demands are diverse. Longitudinal, internal measuring, radii, mm/mm graduation mm/inch graduation, individual case designs and much more. There is almost no limit to your imagination. Owing to the act that these pocket tapes are manufactured in our own works there are many design options, even for small quantities. Our main focus is of course on precise measuring, perfect handling and long working life.

#### **Advantages**


- Durability in rough work environment through rust pRedection of the tapes (phospate ground coating)
- BMI pocket tapes have a transparent coating as wearing pRedection, 10 times stronger than any other non-abrasive coatings!
- Long working life of the return lock spring owing to a special spring band steel
- · Sophisticated interior: inserted winding coils or distance washers ensure perfectly smooth running
- Robust high-impact ABS or polyamide case
- Tapes with mm-graduation EEC pattern approved, suitable for calibration
- Accuracy acc. to EEC class II
- $2 \text{ m} \pm 0,7 \text{ mm}$
- $3 \text{ m} \pm 0,9 \text{ mm}$
- 5 m ± 1,3 mm
- $8 \text{ m} \pm 1,9 \text{ mm}$

#### You will recognize high-quality measuring tapes by these imprints:



6,7 FEET	2 BM			4	1	. 5		
1 2 3 <sup>2m</sup> 4	5	6 7	8 9		1	12	13 14 15	5

#### **Tape structure**



- 1 Concaved, tempered spring blade steel of high stability
- 2 Anticorrosive phosphate coating
- 3 Synthetic resin, stoved
- 4 Printed graduation with red meter figures
- 5 Clear varnish to protect against wear, stoved


#### **End fittings**



Metal sliding tip, nickel-plated, adjustable for both end-on and hook-on measurements.

#### **Internal measuring**

With the IN-OUT, VISO, X 4, TOP and TOP-M models the internal measurement can conveniently be read directly from the top sight window. For other models the case length is to be added.





Nothing can scratch me!

#### VARIO

Elegant and ergonomically shaped high-impact ABS plastic case. A special mechanism ensures **smooth running** of the blade. Lock lever operates automatic blade return. VARIO 5 m with carrying strap.

MIOD

Length: 2 m, 3 m, 5 m 2, 3 + 5 m with mm- or mm-/inch-graduations.

#### Width:

2 m + 3 m → 13 mm 5 m → 16 mm

#### Case dimensions:

2+3 m → 60 x 58 x 19 mm 5 m → 75 x 70 x 26 mm

Of course, the tape has the usual LONG LIFE properties and the user is guaranteed over the years are more than happy. MADE IN GERMANY

#### Order-no.:

2 m → 02002 3 m → 02003 5 m → 02005

at 100 pcs. or more: Standard colours, Black, White or Red!

VARK 5m

#### X 4

- The most versatile tape with 4 functions:
- Longitudinal measuring
- Internal measuring
  Circles
- Level

Scale in the window is not displayed upside down (no reading errors possible). Blade lock. Polyamide case. Free-running blade in push-pull design.

#### Length:


3 m with mm- or mm/inch-graduations

Blade width: 13 mm Case dimensions: 60 x 80 x 20 mm

Order-no.: 01933



MADE IN GERMANY



The steel stylus integrated in the swingout arm allows 3 m radii to be drawn.

GERMANY

Z

MADE

#### **IN-OUT**

Pocket tape with **top sight window** for internal measuring. Scale in the window is not displayed upside down (**no reading errors possible**). Blade lock. Polyamide case. Free-running blade in push-pull execution.

IN GUE

Lengths: 2 + 3 m with mm- or mm-/inch-graduations

Blade width: 13 mm Case dimensions: 60 x 60 x 21 mm

**Order-no.:** 2 m → 01592 3 m → 01593

1.00



#### VISO

The special measuring tape with 3 functions:

- Longitudinal measuring
- Internal measuring
- Circles

Scale in the window is not displayed upside down (no reading errors possible). Blade lock. Polyamide case. Free-running blade in push-pull execution.

Length: 3 m with mm- or mm-/inch-graduations

Blade width: 16 mm Case dimensions: 65 x 65 x 25 mm

Order-no.: 02093


at 100 pcs. or more: Standard colours, Black, White or Red!

0

2

MADE IN GERMANY





The steel stylus integrated in the swingout arm allows drawing of radii up to 3m.

#### TOP

Internal measuring tape without lock. **Top sight window with magnifying effect.** Scale in the window is not displayed upside down (**no reading errors possible**). Polyamide case. Freerunning blade in push-pull execution.

Lengths: 2 + 3 m with mm- or mm-/inch-graduations

Blade width: 13 mm Case dimensions: 65 x 65 x 21 mm

Order-no.: 2 m → 01392 3 m → 01393 MADE IN GERMANY



#### twoComp

Pocket tape with **robust tape operating mechanism**. High-impact ABS plastic case with additional soft-grip-surface. Automatic blade return. Blade lock. **Belt clip**. abruck de

Soland Contraction

A ST SO STATLES BOR

Length: 3, 5 und	8 m with mm-graduations
Width:	Case dimensions:
3 m 🗲 16 mm	3 m → 60x60x32 mm
5 m 🗲 19 mm	5 m → 70x70x36 mm
8 m → 25 mm	8 m → 80x80x45 mm
	(only red/black-design)

#### **CHROM 474**

Robust pocket measuring tape. Chromed case, impact-resistant ABS plastic.

<u>Case:</u> ABS plastic with chrome finish

Technical characteristics: Automatic tape return with a tape lock and belt clip.

Width:		Case dimensions:			
3 m	→ 13 mm	3 m	→ 65 x 60 x 27 mm		
5 m	→ 19 mm	5 m	→ 75 x 66 x 37 mm		
8 m	→ 25 mm	8 m	→ 84 x 75 x 45 mm		
10 m	→ 25 mm	10 m	→ 88 x 80 x 45 mm		

#### **BIG STOP**

Pocket tape with robust tape-operating mechanism. High-impact ABS plastic case. Automatic blade return. Blade lock. Belt clip.

Length: 2, 3, 5 + 8 m with mm-graduations Width:

2 + 3 m 13 mm > 19 mm 5 m > 8 m 25 mm

>

#### **Case dimensions:**

2 + 3 m →	60 x 55 x 21 mm
5 m →	70 x 69 x 36 mm
8 m →	76x76x42 mm

#### Order-no.:

2 m 🗲	01602 available in red and white
3 m 🗲	01603 available in red and white
5 m 🗲	01605 available in red and white

4 0 5 0 6

3

8 m → 01608 available in red

#### MET

\* E0200

Pocket tape with heat-resistant zinc die-cast case with chrome finish. Automatic, lock-operated blade return.

Length: 2 + 3 m with mm-graduations Width: 13 mm Case dimensions: 60 x 58 x 19 mm

Order-no.: 2 m → 01102 3 m → 01103



Spirit Levels

# BMI 0. 4 for a more **BALANCEI** positio



No more double-bubble trouble!

#### ALUSTAR

• The original BMI domed round horizontal vial with magnifying effect provides unsurpassed readability, also for inverted measurement.

EU

GERM

EIN

ALUSTAR

- Strong walls and shock-absorbing rubber end-caps.
- Highest accuracy for life (0,5 mm/m) due to ultrasonic-welded vials.
- Highly accurate inverted measurement (0,75 mm/m).

	Low Brits Arriver A
Order-no.:	
691 030 →	30 cm
691 040 <b>→</b>	40 cm
691 050 <b>→</b>	50 cm (still fit in the tool box)
691 060 <b>→</b>	60 cm
691 080 <del>&gt;</del>	80 cm
691 100 <b>→</b>	100 cm
	and the second sec

Further lengths on request.

#### **EUROSTAR**

Allround model suitable for every application; sturdy, easy-to-grip, smooth aluminium profile; with one horizontal and one vertical vial. Available colour: silver anodized.

Measuring accuracy in normal position and over-head measuring 0.5 mm/m. **Pure innovation!** 

Further lengths on request.

- Patented high-tech vials (Patent No. 4427068)
- Laser-marked

2% slope/fall lines.

Unbreakable BMI special vials

- Good viewing of the vial owing to its magnifying effect
  - 30 years BMI guarantee for vial durability

Order-no.: 30 cm → 690030 40 cm → 690040 50 cm → 690050

Precision Reading markings make it easier to find exact level plumb position.

Rounded vials for distortion-free reading and easy cleaning.

BMI-patented laser marking ensures highest accuracy for life Dwirpatenicu iaser inaining ensures inginesi accuracy ior inc Extremely durable: through rubber end-caps and strong profile

60 cm → 690060 80 cm: → 690080 100 cm → 690100



2% slope fall markings and precision reading markings.

#### Robust

- Unique, extremely torsion-resistant 4-chamber profile (60 x 26 mm cross-cut).
- The original BMI domed round vial with magnifying effect provides unsurpassed readability, also for inverted measurement.
- Highest accuracy for life (0,5 mm/m) due to ultrasonic-welded vials.
- Especially thick shock-absorbing rubber end-caps preserve high measuring accuracy for life.
- Two milled measuring surfaces (up to 120 cm).
- Highest accuracy also for inverted measurement (0,5 mm/m).
- The original! With ultrasonicwelded vials (BMI patent) and reflection-free readability!

#### Art.Nr.:

60 cm → 698 060 D

BMI 10

- 80 cm 🗲 698 080 D
- 100 cm → 698 100 D

#### **INNOSTAR**

#### MADE IN GERMANY

MADE IN GERMANY

Allround model suitable for every application; sturdy, easy-to-grip, smooth aluminium profile; with one horizontal and one vertical vial. Available colour: silver anodized.

Measuring accuracy in normal position and over-head measuring 1.0 mm/m. Good viewing of the vial owing to its magnifying effect, wall strenght 1.3mm

ROBUST and INNOSTAR

double-bubble trouble!

MADE IN EU

#### PROMOSTAR

The most used model for promotional users. Robust, smooth aluminium profile.

#### Standard colour:

N GERMANY

silver anodized, white or yellow powder-coated. Available with conventional or digital-photo imprint.

Measuring accuracy in normal position 1.0 mm/m.

60 cm

80 cm 100 cm

#### Order-no.:

30 cm →	689030
40 cm →	689040
50 cm →	689050

→ 689060
→ 689080

→ 689080
→ 689100

Veal

#### UNIVERSAL

Inclination level with horizontal vial. Additional rotating vial to transfer inclinations. Drawing aid for 45°,  $60^\circ$  and 120°, with mm-graduations at the measuring plane.

Dimensions: 250 x 54 x 15 mm Order-no.: 683



#### INKLINAT

ala Batta Batta

Inclination level with horizontal vial. Additional rotating vial to transfer inclinations. Drawing aid for 45°, 60° and 120°, with mm-graduation at the measuring plane.

Dimensions: 250 x 55 x 19 mm Order-no.: 682



Markaline Markalin Markaline M Markaline Marka

#### **Spirit Levels**

#### TRIVELLE

Annut Almut Almu

i.u.

**Torpedo level** with 3 vials for horizontal, vertical and 45° measurements.

2013

MADE IN GERMANY

**Dimensions:** 200 x 42 x 17 mm **Order-no.:** 673



MADE IN GERMANY

#### **POCKET-LEVEL**

**Pocket level** made of highimpact ABS. Prismatic measuring plane. Plexiglass vial.

Dimensions: 150 x 25 x 23 mm Order-no.: 672



#### LINE-LEVEL

Line level made of ABS with clip. Eyelet to hook on to a levelling line, plexiglass vials.

Dimensions: 120 x 29 x17 mm Order-no.: 06750 MADE IN GERMANY

MADE IN EU

in Gemany

± 1.0 mm/m

#### MINI-LEVEL

High-impact plastic **pocket level**. Plexiglass vials for horizontal and vertical measuring. **Dimensions:** 100 x 35 x 13 mm **Order-no.:** 670

MADE IN GERMANY

#### TORPEDO

BW

Rugged spirit level consisting of fiber glass reinforced ABS plastic. Circular spirit level indicators with excellent visibility. Also available as magnetic type with two strong disk magnets. Measuring accuracy in normal position 1.0 mm/m.

**BANI** TORPEDC

Dimensions: 250 x 43 x 22 mm

685

685M

16

Order-no.: without magnet: with magnet:



## proper PROPORTIONS

#### Plastic inclinometer with doming

Mechanical plastic inclinometer, graduation 1°-steps, lenght 10 cm with cm- and Inch-rule at the edges, rear side with degree conversion scale.

02 02 01 0 01 02 05 0N

MADE IN GERMANY

H

Available colour: black Order-no.: 789 500N

#### Fan reduction rule

Fan reduction rulers with 5 ruler strips in genuine leather or imitation leather case. Advertising print either on one side of the case (Blind-colour embossing or printed) and/or printed on the last ruler strip. Special or crack width scales also possible. Scales on the strips 1 – 51:1250, 1:125, 1:75, 1:750 1:500, 1:50, 1:40,

1:4001:33 1/3, 1:30, 1:300 1:250, 1:25, 1:20, 1:200 1:150, 1:15, 1:10, 1:100

Order-no.: 499-RF50-1

Other layouts on request.

#### The perfect aids

(m

#### PICO

Plastic bubble level with 50 cm roller scale as a marking aid. Round horizontal vial with a magnifying effect, provides unsurpassed readability, 2 aluminium alloy measuring surfaces, with or without magnet.

MADE IN GERMANY

Material: ABS

#### **BMI-Rollmaßstab**

Roller scale made of stainless steel, painted white, 0.5 + 1 m

#### Technical characteristics:

Tape rolls out on its own, very rigid if uncoiled, rolled up tape is very compact Ø approx. 50 mm. Cross section 16 x 0.2 mmAccuracy class EC II.

QUALITAT

4 05m 5 CD 6 ERNI] CE8 W13 9 oriel 0

MADE IN GERMANY

**M**®

QUALITAT

#### CARPENTER'S PENCIL

Z

MADE

Standard-colours: red and white Many other colours available on request.

Length: 24 cm. Sharpened. Order-no.: 499999-240

> Sharpener inside the Push button for graphite lead

10

#### **Profi - MARKER Grand Slam**

Made of durable brass material, with useful clip.

Allwriter lead marks on almost any surface, no matter if it is dry or wet: cars, tiles, bricks, wet and dry wood, glass, rubber, tyres, ceramics, concrete, metal, plastic...

Graphite lead marks on wood, paper and carton Sharpener inside the push button for graphite lead.

Refills available: graphite lead (HB) and allwriter lead (red and yellow).

#### **Order-no.: lead**

499-2018 Graphite lead (please specify colour of pencil-body) 499-2019 allwriter lead red (please specify colour of pencil-body 499-2020 allwriter lead yellow (please specify colour of pencil-body)

> EU N

MADE

#### **Measure and mark**

26

27

BM

szen

BM

essze

28

29

30

MADE IN EU

#### **MINI VIAL WITH KEY-CHAIN**

Mini spirit level with key-chain. Dimensions: 35 x 15 x 15 mm Order-no.: 680 04

BULL'S-EYE VIAL

MADE IN EU

BW1

Pessze"

Dimensions: Ø 14 x 8 mm Order-no.: 680 014 D

#### **MINI FOLDING RULE** WITH KEY-CHAIN

Acrylic folding rule on key-chain. Rule length: 50 cm **Colour:** white Dimensions: 66 x 22 x 18 mm Order-no.: 499001

200



#### **Printing information**

Prices for imprint are net.

#### Folding rules:

One colour imprint on two sides included. All other products include one colour on one side. For any additional colour and printstand Euro 0,08.

#### Partial cliché costs:

Euro 37, – for each colour and motive (do not apply for repeat orders within 5 years). Clishés remain property of BMI. We charge Euro 20, – for the returning of the films.

#### Packing:

On request.

#### **Delivery:**

Ex works packing excluded; if order volume exceeds Euro 256,- free German border packing included.

#### **Payment terms:**

10 days 2 % discount or 30 days net from date of the invoice.

#### Logo imprints:

In any colour of customers' choice (HKS- or RAL-colour).

#### Preproduction samples on request:

We can provide a preproduction sample on request, in standard design, at 34,-EUR per colour, plus value of product.

#### **Printing Data:**

Please provide print designs electronically, preferably in eps. or pdf. format.

Please provide print designs electronically, preferably in corel Draw, Freehand .eps or .pdf format.

#### **Generally:**

The bigger the size of the artwork and the more detailed the better!

Freehand data up to version MX and Corel Draw data up to version X3 can be processed instantly.

However, generally all electronic data (PC or Mac) or artwork on paper (such as letter head, business cards smooth paper, catalogue) can be processed. Then, however, some days have to be added to the preparation period.

Please send your order and data to our new account for customers in advertisement: auftrag@bmi.de

Before we start processing your order we will send you proof sheets and ask for written approval.

Our general terms and conditions are valid.

#### Individual solutions

#### Common is not enough!

The standard products are too ordinary for you? You would like to change details in order to make your customers' work really easier?

#### No problem!

If you need an illuminated vial, special drill holes, a special graduation, integrated pencil holders ... we will work out an indvidual solution for your customer!



1 4 - · · · · · · ·

